



























adolescents' anxiety and pain following spinal fusion surgery. *Nurs Res.* 2003;52(3):183-190.

76. LaMontagne LL, Hepworth JT, Cohen F, Salisbury MH. Adolescents' coping with surgery for scoliosis: effects on recovery outcomes over time. *Res Nurs Health.* 2004;27(4):237-253.

77. Charette S, Fiola JL, Charest MC, et al. Guided Imagery for Adolescent Post-spinal Fusion Pain Management: A Pilot Study. *Pain Manag Nurs Off J Am Soc Pain Manag Nurses.* 2015;16(3):211-220.

78. Davidson F, Snow S, Hayden JA, Chorney J. Psychological interventions in managing postoperative pain in children: a systematic review. *Pain.* 2016;157(9):1872-1886.

79. Szeverenyi C, Kekecs Z, Johnson A, Elkins G, Csernatony Z, Varga K. The Use of Adjunct Psychosocial Interventions Can Decrease Postoperative Pain and Improve the Quality of Clinical Care in Orthopedic Surgery: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *J Pain Off J Am Pain Soc.* 2018;19(11):1231-1252.

80. Monticone M, Ferrante S, Teli M, et al. Management of catastrophising and kinesiophobia improves rehabilitation after fusion for lumbar spondylolisthesis and stenosis. A randomised controlled trial. *Eur Spine J Off Publ Eur Spine Soc Eur Spinal Deform Soc Eur Sect Cerv Spine Res Soc.* 2014;23(1):87-95.

81. Monticone M, Ambrosini E, Vernon H, et al. Efficacy of two brief cognitive-behavioral rehabilitation programs for chronic neck pain: results of a randomized controlled pilot study. *Eur J Phys Rehabil Med.* 2018;54(6):890-899.

82. Chou R, Qaseem A, Snow V, et al. Diagnosis and treatment of low back pain: a joint clinical practice guideline from the American College of Physicians and the American Pain Society. *Ann Intern Med.* 2007;147(7):478-491.

83. Hoffman BM, Papas RK, Chatkoff DK, Kerns RD. Meta-analysis of psychological interventions for chronic low back pain. *Health Psychol Off J Div Health Psychol Am Psychol Assoc.* 2007;26(1):1-9.

84. Rabbitts JA, Aaron RV, Fisher E, et al. Long-Term Pain and Recovery After Major Pediatric Surgery: A Qualitative Study With Teens, Parents, and Perioperative Care Providers. *J Pain Off J Am Pain Soc.* 2017;18(7):778-786.

85. Rao RR, Hayes M, Lewis C, et al. Mapping the Road to Recovery: Shorter Stays and Satisfied Patients in Posterior Spinal Fusion. *J Pediatr Orthop.* 2017;37(8):e536-e542.

86. Chou R, Gordon DB, de Leon-Casasola OA, et al. Management of Postoperative Pain: A Clinical Practice Guideline From the American Pain Society, the American Society of Regional Anesthesia and Pain Medicine, and the American Society of Anesthesiologists' Committee on Regional Anesthesia, Executive Committee, and Administrative Council. *J Pain Off J Am Pain Soc.* 2016;17(2):131-157.

87. Richard HM, Nguyen DC, Podeszwa DA, De La Rocha A, Sucato DJ. Perioperative Interdisciplinary Intervention Contributes to Improved Outcomes of Adolescents Treated With Hip Preservation Surgery: *J Pediatr Orthop.* 2018;38(5):254-259.

88. Hunter JF, Kain ZN, Fortier MA. Pain relief in the palm of your hand: Harnessing mobile health to manage pediatric pain. *Paediatr Anaesth.* 2019;29(2):120-124.