







































ceived exertion scale for children and adolescents with cerebral palsy. *Dev Med Child Neurol* 57:748–53

21. Rose J, Gamble JG, Burgos A, Medeiros J, Haskell WL. Energy expenditure index of walking for normal children and for children with cerebral palsy. *Dev Med Child Neurol*. 1990 Apr;32(4):333-40. doi: 10.1111/j.1469-8749.1990.tb16945.x. PMID: 2332124.
22. Bowen TR, Lennon N, Castagno P, Miller F, Richards J (1998b) Variability of energy-consumption measures in children with cerebral palsy. *J Pediatr Orthop* 18:738–742
23. Nahm NJ, Sohrweide SS, Wervev RA, Schwartz MH, Novacheck TF. Surgical treatment of pes planovalgus in ambulatory children with cerebral palsy: Static and dynamic changes as characterized by multi-segment foot modeling, physical examination and radiographs. *Gait Posture*. 2020 Feb;76:168-174. doi: 10.1016/j.gaitpost.2019.12.004. Epub 2019 Dec 12. PMID: 31862665.
24. Niiler TA, Nicholson K, Fischer L, Lennon N. Factors influencing post-surgical variability in StepWatch data in youth with cerebral palsy. *Gait Posture*. 2019 Jul;72:234-238. doi: 10.1016/j.gaitpost.2019.06.017. Epub 2019 Jun 26. PMID: 31284160.
25. Small SR, Bullock GS, Khalid S, Barker K, Trivella M, Price AJ. Current clinical utilization of wearable motion sensors for the assessment of outcome following-knee arthroplasty: a scoping review. *BMJ Open*. 2019

Dec 29;9(12):e033832. doi: 10.1136/bmjopen-2019-033832. PMID: 31888943; PMCID: PMC6936993.

26. DeLuca PA, Davis RB 3rd, Ounpuu S, Rose S, Sirkin R. Alterations in surgical decision making in patients with cerebral palsy based on three-dimensional gait analysis. *J Pediatr Orthop*. 1997 Sep-Oct;17(5):608-14. doi: 10.1097/00004694-199709000-00007. PMID: 9591998.
27. Niklasch M, Dreher T, Döderlein L, Wolf SI, Ziegler K, Brunner R, Rutz E. Superior functional outcome after femoral derotation osteotomy according to gait analysis in cerebral palsy. *Gait Posture*. 2015 Jan;41(1):52-6. doi: 10.1016/j.gaitpost.2014.08.011. Epub 2014 Aug 27. PMID: 25217494.
28. Filho MC, Yoshida R, Carvalho Wda S, Stein HE, Novo NF. Are the recommendations from three-dimensional gait analysis associated with better postoperative outcomes in patients with cerebral palsy? *Gait Posture*. 2008 Aug;28(2):316-22. doi: 10.1016/j.gaitpost.2008.01.013. Epub 2008 Mar 20. PMID: 18358723.
29. Lofterød B, Terjesen T, Skaaret I, Huse AB, Jahnsen R. Preoperative gait analysis has a substantial effect on orthopedic decision making in children with cerebral palsy: comparison between clinical evaluation and gait analysis in 60 patients. *Acta Orthop*. 2007 Feb;78(1):74-80. doi: 10.1080/17453670610013448. PMID: 17453395.