



















- children with early-onset scoliosis: early radiological result in 19 children. *Bone Joint J.* 2016;98-B(9):1240-1247.
33. Akbarnia BA, Cheung K, Noordeen H, Elsebaie H, et al. Next generation of growth-sparing techniques: preliminary clinical results of a magnetically controlled growing rod in 14 patients with early onset scoliosis. *Spine.* 2013;38(8):665-670.
34. Lebon J, Batailler C, Wargny M, Choufani E, et al. Magnetically controlled growing rod in early onset scoliosis: a 30-case multicenter study. *Eur Spine J.* 2017;26(6):1567-1576.
35. Dannawi Z, Altaf F, Harshavardhana NS, El Sebaie H, et al. Early results of a remotely operated magnetically growth rod in early-onset scoliosis. *Bone Joint J.* 2013;95-B(1):75-80.
36. Kwat KYH, Alanay A, Yazici M, Demirkiran G, et al. Unplanned reoperations in magnetically controlled growing rods for early onset scoliosis surgery with a minimum of two year follow up. *Spine.* 2017;43(24):E1410-E1414.
37. Anari JB, Flynn JM, Cahill PJ, Vitale MG, et al. Unplanned return to OR (UPROR) for children with early onset scoliosis (EOS): a comprehensive evaluation of all diagnosis and instrumentation strategies. *Spine Deform.* 2020;8(2):295-302.
38. Wai Hung C, Vitale MG, Samdani A, Matsumoto H, et al. Outcomes of primary and conversion magnetically controlled growth rods are different at two-year follow: results of north American release. *Spine Deform.* 2019;7(5):829-935.
39. Cheung JPY, Yiu KKL, Samartzis D, Kwan K, et al. Rod lengthening with the magnetically controlled growing rod: factors influencing rod slippage and reduced gains during distractions. *Spine.* 2018. 43(7):E399-E405.
40. Ahmad A, Subramanian T, Panteliadis P, Wilson-Macdonald J, et al. Quantifying the 'law of diminishing returns' in magnetically controlled growing rods. *Bone Joint J.* 2017;99-B(12):1658-1664.
41. Gilday SE, Schwartz MS, Bylski-Austro DL, Glos DL, et al. Observed length increases of magnetically controlled growing rods are lower than programmed. *J Pediatr Orthop.* 38(3):e133-e137.
42. Lorenz HM, Braunschweig L, Badwan B, Groenefeld K, et al. High correlation between achieved and expected distraction using magnetically controlled growth rods (MCGR) with rib to pelvis fixation of spine deformity. *J Pediatr Ortho.* 2019;39(5):e3340e338.
43. Poon S, Spencer HT, Fayssoux RS, Sever R, et al. Maximal force generated by magnetically controlled growing rods decreases with rod lengthening. *Spine Deform.* 2018;6(6):787-790.
44. Rushton PRP, Smith SL, Forbes L, Bowey AJ, et al. Force testing of explanted magnetically controlled growing rods. *Spine (Phila PA 1976).* 2019. 44(4):233-239.
45. Rushton PRP, Smith SL, Kandemir G, Forbes L, et al. Spinal lengthening with magnetically controlled growing rods: data from the largest series of explanted devices. *Spine (Phila PA 1976).* 2020. 45(3):170-176.
46. Polly Jr DW, Ackerman SJ, Schneider K, Pawelek J, et al. Cost analysis of magnetically controlled growing rods compared with traditional growing rods for early-onset scoliosis in the US: an integrated health care delivery system perspective. *Clinicoecon Outcomes Res.* 2016;8:457-465.
47. Oetgen ME, McNulty EM, Matthews AL. Cost-effectiveness of magnetically controlled growing rods: who really benefits? *Spine Deform.* 2019;7(3):501-504.
48. Bekmez S, Afandiyev A, Dede O, Karaismailoglu E, et al. Is magnetically controlled growing rod the game changer in early-onset scoliosis? A preliminary report. *J Pediatr Orthop.* 2019;29(3):e195-e200.
49. McCarthy RE, Luhmann S, Lenke L, et al. The Shilla growth guidance technique for early-onset spinal deformities at 2-year follow-up: a preliminary report. *J Pediatr Orthop.* 2014; 34:1-7.
50. Luhmann SJ, McCarthy RE (2017) A comparison of Shilla growth guidance system and growing rods in the treatment of spinal deformity in children less than 10 years of age. *J Pediatr Orthop* 2017; 37(8):567-574.
51. Nazareth A, Skaggs DL, Illingsworth KD, et al. Growth guidance constructs with apical fusion and sliding pedicle screws (SHILLA) results in approximately 1/3rd of normal T1-S1 growth. *Spine Deformity* 2020; 8: 531-35.
52. Andras LM, Joiner ER, McCarthy RE, et al. Growing rods vs. Shilla growth guidance: better Cobb angle correction and T1-S1 length increase but more surgeries. *Spine Deformity* 2015; 3(3):246-252
53. Varley E, Pawelek JB, Mundis Jr GM, Oetgen ME, et al. The role of traditional growing rods in the era of magnetically controlled growing rods for the treatment of early-onset scoliosis. *Spine Deform.* 2021; Online ahead of print.