





















nonoperative treatment of medial epicondyle fractures in pediatric upper-extremity athletes. *Clin J Sport Med*. 2020;30(6):214-218.

15. Kamath AF, Baldwin K, Horneff J, et al. Operative versus non-operative management of pediatric medial epicondyle fractures: a systemic review. *J Child Orthop*. 2009;3(5).

16. Lawrence JTR, Patel NM, Macknin J, et al. Return to competitive sports after medial epicondyle fractures in adolescent athletes: results of operative and nonoperative treatment. *Am J Sports Med*. 2013;41(5):1152-1157.

17. Longo UG, Ciuffreda M, Locher J, et al. Apophyseal injuries in children's and youth sports. *Br Med Bull*. 2016;120(1):139-159.

18. Louahem DM, Bourelle S, Buscayret F, et al. Displaced medial epicondyle fractures of the humerus: surgical treatment and results. A report of 139 cases. *Arch Orthop Trauma Surg*. 2010;130(5):649-655.

19. Poircuitte JM, Popkov P, Huber DH, et al. Resorbable osteosynthetic devices in pediatric traumatology: a prospective series of 24 cases. *Eur J Orthop Surg Traumatol*. 2015;25(6):997-1004.

20. Rigal J, Thelen T, Angelliaume A, et al. A new procedure for fractures of the medial epicondyle in children: Mitek® bone suture anchor. *Orthop Traumatol Surg Res*. 2016;102(1):117-20.

21. Mirzayan R, Cooper JD. Chronic medial epicondyle avulsion. *J Am Acad Orthop Surg*. 2019;27(2):64-69.

22. Weber M, Mistovich RJ. Suture Anchor Supplemental Fixation of Medial Epicondyle Fracture. *JPOSNA*. 2020;2(1).

23. Gilchrist AD, McKee MD: Valgus instability of the elbow due to medial epicondyle nonunion: treatment by fragment excision and ligament repair-a report of 5 cases. *J Shoulder Elb Surg*. 2002;11(5):493-497.

24. Kaneshiro Y, Hidaka N, Yano K, et al. Valgus instability of the elbow due to medial epicondyle nonunion: treatment by fragment excision and medial collateral ligament reconstruction. *J Hand Surg Asian-Pacific*. 2017;22(1):70-74.

25. Kulkarni VS, Arora N, Gehlot H, et al. Symptomatic medial humeral epicondylar fracture non-union- rare presentation of a relatively common injury. *Injury*. 2017;48:S50-S53.

26. Shukla SK, Cohen MS. Symptomatic medial epicondyle nonunion: treatment by open reduction and fixation with a tension band construct. *J Shoulder Elb Surg*. 2011;20(3):455-460.

27. Smith JT, McFeely ED, Bae DS, et al. Operative fixation of medial humeral epicondyle fracture nonunion in children. *J Pediatr Orthop*. 2010;30(7):644-648.

28. Park KB, Kwak YH. Treatment of medial epicondyle fracture without associated elbow dislocation in older children and adolescents. *Yonsei Med J*. 2012;53(6):1190.

29. Herring JA, Ho C. Upper extremity injuries. In: Herring, JA. *Tachdjian's Pediatric Orthopaedics*. Philadelphia, PA: Saunders; 2013:1305-1347.

30. Nielsen E, Andras LM, Anesi TJ, Lightdale-Miric N, Lee Pace J. Operative fixation of medial epicondyle fractures: complication rates based on mode of fixation. *Medicine (Baltimore)*. 2020;99(21):e20015.

31. Patel RM, Tarkunde Y, Wall LB, et al. Long-term outcomes of operatively treated medial epicondyle fractures in pediatric and adolescent patients. *J Hand Surg Glob Online*. 2021;3(3):124-8.

32. Patel M, Clement C. Cannulated screw dethreading during fixation for a pediatric distal humerus fracture. *JPOSNA*. 2020;2(1).

33. Marcu DM, Balts J, McCarthy JJ, et al. Iatrogenic radial nerve injury with cannulated fixation of medial epicondyle fractures in the pediatric humerus. *J Pediatr Orthop*. 2011;31(2):13-16.

34. Schwend RK, Hennrikus WL, O'Brien TJ, et al. Complications when using the cannulated 3.5 mm screw system. *Orthopedics*. 1997;20(3):221-223.

35. Skak SV, Grossman EWP. Deformity after internal fixation of fracture separation of the medial epicondyle of the humerus. *J Bone Jt Surg Br*. 1994;76(2):297-302.

36. Baghdadi S, Weltsch D, Arkader A, et al. Open Reduction of Medial Epicondyle Fractures in the Pediatric Population: Supine Versus Prone Position. *J Pediatr Orthop*. 2021;41(5):273-278.

37. May CJ; Shore BJ. Open Reduction and Internal Fixation of Pediatric Medial Epicondylar Humeral Fractures in the Prone Position. *J Bone Jt Surg Es*