























57. Väistö O, Toivanen J, Kannus P, Järvinen M. Anterior knee pain after intramedullary nailing of fractures of the tibial shaft: an eight-year follow-up of a prospective, randomized study comparing two different nail-insertion techniques. *J Trauma*. 2008;64(6):1511-1516. doi:10.1097/TA.0b013e318031cd27
58. Cruz AS, de Hollanda JPB, Junior AD, Neto JSH. Anterior tibial stress fractures treated with anterior tension band plating in high-performance athletes. *Knee Surg Sports Traumatol Arthrosc*. 2013;21(6):1447-1450. doi:10.1007/s00167-013-2365-7
59. Borens O, Sen MK, Huang RC, et al. Anterior tension band plating for anterior tibial stress fractures in high-performance female athletes: a report of 4 cases. *J Orthop Trauma*. 2006;20(6):425-430. doi:10.1097/00005131-200607000-00011
60. Zbeda RM, Sculco PK, Urch EY, et al. Tension Band Plating for Chronic Anterior Tibial Stress Fractures in High-Performance Athletes. *Am J Sports Med*. 2015;43(7):1712-1718. doi:10.1177/0363546515577355
61. Liimatainen E, Sarimo J, Hulkko A, Ranne J, Heikkilä J, Orava S. Anterior Mid-Tibial Stress Fractures. Results of Surgical Treatment. *Scand J Surg*. 2009;98(4):244-249. doi:10.1177/145749690909800410
62. Markolf KL, Cheung E, Joshi NB, Boguszewski DV, Petrigliano FA, McAllister DR. Plate Versus Intramedullary Nail Fixation of Anterior Tibial Stress Fractures: A Biomechanical Study. *Am J Sports Med*. 2016;44(6):1590-1596. doi:10.1177/0363546516631745
63. Chaudhry ZS, Raikin SM, Harwood MI, Bishop ME, Ciccotti MG, Hammoud S. Outcomes of Surgical Treatment for Anterior Tibial Stress Fractures in Athletes: A Systematic Review. *Am J Sports Med*. 2019;47(1):232-240. doi:10.1177/0363546517741137
64. Brahms MA, Fumich RM, Ippolito VD. Atypical stress fracture of the tibia in a professional athlete. *Am J Sports Med*. 1980;8(2):131-132. doi:10.1177/036354658000800215
65. Friedenberc ZB. Fatigue Fractures of the Tibia: Clinical Orthopaedics and Related Research. 1971;76:111-115. doi:10.1097/00003086-197105000-00016
66. Burrows HJ. FATIGUE INFRACTION OF THE MIDDLE OF THE TIBIA IN BALLET DANCERS. *The Journal of Bone and Joint Surgery British volume*. 1956;38-B(1):83-94. doi:10.1302/0301-620X.38B1.83
67. Johansson C, Ekenman I, Lewander R. Stress fracture of the tibia in athletes: diagnosis and natural course. *Scandinavian Journal of Medicine & Science in Sports*. 2007;2(2):87-91. doi:10.1111/j.1600-0838.1992.tb00326.x
68. Mallee WH, Weel H, van Dijk CN, van Tulder MW, Kerkhoffs GM, Lin C-WC. Surgical versus conservative treatment for high-risk stress fractures of the lower leg (anterior tibial cortex, navicular and fifth metatarsal base): a systematic review. *Br J Sports Med*. 2015;49(6):370-376. doi:10.1136/bjsports-2013-093246
69. Nose-Ogura S, Yoshino O, Dohi M, et al. Risk factors of stress fractures due to the female athlete triad: Differences in teens and twenties. *Scand J Med Sci Sports*. 2019;29(10):1501-1510. doi:10.1111/sms.13464
70. Ackerman KE, Cano Sokoloff N, DE Nardo Maffazioli G, Clarke HM, Lee H, Misra M. Fractures in Relation to Menstrual Status and Bone Parameters in Young Athletes. *Med Sci Sports Exerc*. 2015;47(8):1577-1586. doi:10.1249/MSS.0000000000000574
71. Zeni AI, Street CC, Dempsey RL, Staton M. Stress injury to the bone among women athletes. *Phys Med Rehabil Clin N Am*. 2000;11(4):929-947.
72. Drinkwater BL, Nilson K, Chesnut CH, Bremner WJ, Shainholtz S, Southworth MB. Bone Mineral Content of Amenorrheic and Eumenorrheic Athletes. *N Engl J Med*. 1984;311(5):277-281. doi:10.1056/NEJM198408023110501
73. Field AE, Gordon CM, Pierce LM, Ramappa A, Kocher MS. Prospective study of physical activity and risk of developing a stress fracture among preadolescent and adolescent girls. *Arch Pediatr Adolesc Med*. 2011;165(8):723-728. doi:10.1001/archpediatrics.2011.34
74. Tenforde AS, Carlson JL, Chang A, et al. Association of the Female Athlete Triad Risk Assessment Stratification to the Development of Bone Stress Injuries in Collegiate Athletes. *Am J Sports Med*. 2017;45(2):302-310. doi:10.1177/0363546516676262
75. Diehl JJ, Best TM, Kaeding CC. Classification and Return-to-Play Considerations for Stress Fractures. *Clinics in Sports Medicine*. 2006;25(1):17-28. doi:10.1016/j.csm.2005.08.012
76. Brunet ME, Cook SD, Brinker MR, Dickinson JA. A survey of running injuries in 1505 competitive and recreational runners. *J Sports Med Phys Fitness*. 1990;30(3):307-315.
77. Dugan SA, Weber KM. Stress Fractures and Rehabilitation. *Physical Medicine and Rehabilitation Clinics of North America*. 2007;18(3):401-416. doi:10.1016/j.pmr.2007.04.003